

✓

Notice of Allowability	Application No.	Applicant(s)	
	09/630,625	HELFENSTEIN ET AL.	
	Examiner	Art Unit	
	Anthony H. Nguyen	2854	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 07/27/2006.
2. ☒ The allowed claim(s) is/are 1,3-6,8,9,11,12 and 15-18.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input checked="" type="checkbox"/> Other <u>See Continuation Sheet</u> . |

Anthony H. Nguyen

Continuation of Attachment(s) 9. Other: The drawings filed on 08/01/2000 are accepted by the Examiner.

DETAILED ACTION

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The primary reason for allowance claim 1 is that the prior art of record does not teach the step of forming a common adjusting signal for the bounded strand in the common control device by comparing the common measured value with a set point value and forming an individual adjusting signal for each web strand as argued by applicant (the Remarks, page 10 lines 9-15).

The primary reason for allowance claim 6 is that the prior art of record does not teach the device for determining cutting positions of web strands having a common control device, which forms a common adjusting signal for the bounded strand by comparing a set point value from the set point transducer and the common strand measured value, and an individual control device which forms an individual adjusting signal for each web strand using the common adjusting signal as argued by applicant (the Remarks, the paragraph bridging pages 7 and 8).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Art Unit: 2854

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony Nguyen whose telephone number is (571) 272-2169.

The examiner can normally be reached daily from 9 AM to 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen, can be reached on (571) 272-2258.

The fax phone number for this Group is (571) 273 - 8300.

A handwritten signature in black ink that reads "Anthony Nguyen". The signature is written in a cursive, flowing style.

Anthony Nguyen
09/20/2006
Patent Examiner
Technology Center 2800